

An emulsion polish formulation that dusts and cleans in one easy application. A rich blend of silicones, cleaners and lemon oil that cleans and polishes wide variety of surfaces leaving behind a pleasant lemon fragrance and hard, dust-free shine that lasts. Removes finger marks, smudges, grease marks and stains in one step.



Where To Use

Plastic	Table Tops	Stainless Steel	Furniture (light & dark)
Brass	Formica	Leather	Enameled Surfaces
Vinyl	Marble	Chrome	Metal

Directions

Spray directly onto surface to be cleaned or on clean cloth for hard to reach areas. Avoid overspray on flooring as surface may become slippery.

Technical Specifications

CAN SIZE: ...20 oz.	NET WEIGHT: 19 oz.
ODOR:Lemon	USDA RATING: .. N/A
TYPE:Aerosol	PROPELLANT: ... Hydrocarbon
pH:10.5	SPRAY PATTERN: Hollow Cone
COLOR: White Emulsion	FLAMMABILITY: Non-Flammable - per CPSC Flame Ext. Test in 16 CFR 1500.45.





SDS

Safety Data Sheet

MSDS Number: 1264285-AP4285

Simoniz Furniture Polish S3339012

Revision Date: 3/31/2015

Page 1 of 7

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Simoniz, USA
201 Boston Turnpike
Bolton, CT 06043
Tel: 800-227-5536

Emergency Phone: CHEM-TEL: (800) 255-3924

Product Name: Simoniz Furniture Polish S3339012
Revision Date: 3/31/2015
Version: 1
MSDS Number: 1264285-AP4285
Common Name: Aerosol Furniture Polish
Product Use: Furniture and Wood Maintenance

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes; Ingestion; Inhalation; Skin;

Target Organs: Skin; Eyes; Gastrointestinal tract; Respiratory system.


Inhalation: May cause respiratory tract irritation. Vapours may cause drowsiness and dizziness. This product may be aspirated into the lungs and cause chemical pneumonitis.

Skin Contact: May cause irritation.

Eye Contact: May cause irritation.

Ingestion: Not a normal route of exposure. Harmful: may cause lung damage if swallowed.

NFPA: Health = 1, Fire = 1, Reactivity = 0
HMIS III: H1/F1/PH0



HMIS III	
HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARDS	0
PERSONAL PROTECTION	



SDS

Safety Data Sheet

Simoniz Furniture Polish S3339012

MSDS Number: 1264285-AP4285

Revision Date: 3/31/2015

Page 2 of 7

GHS Signal Word:
WARNING

GHS Hazard Pictograms:



GHS Classifications:
Health, Acute toxicity, 4 Inhalation
Physical, Flammable Aerosols, 2
Health, Serious Eye Damage/Eye Irritation, 2 B
Health, Skin corrosion/irritation, 2

GHS Phrases:
H332 - Harmful if inhaled
H223 - Flammable aerosol
H320 - Causes eye irritation
H315 - Causes skin irritation

GHS Precautionary Statements:
P102 - Keep out of reach of children.
P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking
P260 - Do not breathe dust/fume/gas/mist/vapors/spray.
P301 - IF SWALLOWED: seek medical advice immediately and show container or label.
P340 - Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P410+412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Percentage	Chemical Name
63148-62-9	1-5%	Siloxanes and Silicones, di-Me
64742-47-8	4-8%	Distillates, petroleum, hydrotreated light
64742-89-8	12-16%	VM&P Naphtha
68476-86-8	8-12%	Propane/ Isobutane

4 FIRST AID MEASURES

- Inhalation:** Move to fresh air and keep at rest. Call a physician if symptoms develop and persist. Give oxygen or artificial respiration if needed. Give nothing by mouth.
- Skin Contact:** Wash with soap and water. If skin irritation persists, call a physician immediately. Remove contaminated clothing and wash before reuse.
- Eye Contact:** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
- Ingestion:** Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low to avoid getting into the lungs. Call a poison control center if large amounts are ingested. Never give anything by mouth to an unconscious person.



SDS

Safety Data Sheet

Simoniz Furniture Polish S3339012

MSDS Number: 1264285-AP4285

Revision Date: 3/31/2015

Page 3 of 7

5 FIRE FIGHTING MEASURES

Flammability:	Non-flammable per Flame Projection Test
Flash Point:	58°F (Concentrate only)
Flash Point Method:	TCC
Burning Rate:	Not available.
Autoignition Temp:	Not available.
LEL:	Not available.
UEL:	Not available.

Means of Extinction:

Suitable Extinguishing Media: Powder, water spray, foam, carbon dioxide.

Unsuitable Extinguishing Media: Not available.

Products of Combustion: May include, and are not limited to: oxides of carbon.

Explosion Data:

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

Protection of Firefighters: Containers may explode when heated. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.

Ruptured cylinders may rocket.

Environmental Precautions: Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). This material is a water pollutant. Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

Methods for Containment: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for Clean-Up: Vacuum or sweep material and place in a disposal container. Allow gas to dissipate harmlessly into the atmosphere.

7 HANDLING AND STORAGE

Handling Precautions: HARMFUL IF INHALED OR SWALLOWED. VAPOR HARMFUL. EYE, SKIN AND RESPIRATORY IRRITANT. Contents under pressure. Keep out of reach of children. Read label cautions carefully. Follow label directions to avoid injury. Use with adequate ventilation. Do not use in confined areas. Keep away from heat, sparks or open flames. Wash hands thoroughly after each use. Do not smoke while using. Avoid contact with skin and eyes. Avoid breathing vapor or mist. Do not puncture container.

Storage Requirements: Keep out of reach of children. Do not store near heat, sparks, or open flames. Do not expose to temperatures above 120°F as container may vent, rupture or burst. Do not puncture or incinerate container.

Store in accordance with NFPA 30B for LEVEL 1 AEROSOL



SDS

Safety Data Sheet

Simoniz Furniture Polish S3339012

MSDS Number: 1264285-AP4285

Revision Date: 3/31/2015

Page 4 of 7

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Maintain adequate ventilation. Use ventilation adequate to keep exposures below recommended exposure limits.

Personal Protective Equip: HMIS PP, P | Gloves.
 Eyes Protection: Wear eye/face protection.
 Hand Protection: Wear suitable gloves.
 Skin and Body Protection: Wear suitable protective clothing.
 Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Ingredients

Siloxanes and Silicones, di-Me
 Distillates, petroleum, hydrotreated light
 VM&P Naphtha
 Propane/ Isobutane

Exposure Limits

OSHA-PEL	ACGIH-TLV
Not available	Not available
Not available	Not available
500 ppm	300 ppm
1000 ppm	1000 ppm

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White opaque liquid

Physical State: Mixture packaged in pressurized aerosol spray can.

Odor: citrus

Odor Threshold: Not available

Particle Size: Not available

Solubility: Soluble

Spec Grav./Density: 0.965 - 0.975 g/ml

Softening Point: Not available

Viscosity: Not available

Saturated Vapor Concentration Not available

Heat Value: Not established

Boiling Point: > 100F

Flammability: Flammable

Flash Point: Not established

pH: 8.0 - 9.5

VOC: 14.5%

Evap. Rate: < 1.00 (BuAc=1)

10

STABILITY AND REACTIVITY

Stability: Avoid sources of ignition such as sparks, hot spots, welding flames and lighted cigarettes which may yield toxic and/or corrosive decomposition products. Product is stable under normal conditions.

Conditions to Avoid: heat, sparks, open flames and temperatures above 120°F.

Materials to Avoid: Peroxides; Strong Oxidizing Agents.

Hazardous Decomposition: Combustion will produce carbon dioxide and, possibly toxic chemicals such as carbon monoxide.

Hazardous Polymerization: Will not occur.



SDS

Safety Data Sheet

Simoniz Furniture Polish S3339012

MSDS Number: 1264285-AP4285

Revision Date: 3/31/2015

Page 5 of 7

11 TOXICOLOGICAL INFORMATION

Toxicity Data:

Eye Effects: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Skin Effects: May cause skin irritation. Handling can cause dry skin.

Accute Inhalation Effects: May cause respiratory tract irritation. This product may be aspirated onto the lungs and cause chemical pneumonitis.

Chronic Effects: Not Hazardous by WHMIS/OSHA criteria.

Carcinogenicity: Not Hazardous by WHMIS/OSHA criteria.

Mutagenicity: Not Hazardous by WHMIS/OSHA criteria.

Teratogenicity: Not Hazardous by WHMIS/OSHA criteria.

12 ECOLOGICAL INFORMATION

Ecotoxicity: Not available

Persistence / Degradability: Not available.

Bioaccumulation / Accumulation: Not available.

Mobility in Environment: Not available.

13 DISPOSAL CONSIDERATIONS

Do not allow into drains or water sources. Waste and empty containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Enviromental Protection Act. Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority, weather special waste regulations apply.



SDS

Safety Data Sheet

Simoniz Furniture Polish S3339012

MSDS Number: 1264285-AP4285

Revision Date: 3/31/2015

Page 6 of 7

14

TRANSPORT INFORMATION

DOT Class: Flammable Gas (2.1) #2.1
UN #: UN 1950, Class: 2, Proper Shipping Name: Aerosols, flammable

DOT

UN Number	UN1950
UN proper shipping name	Aerosols, flammable
Transport Hazard Class(es)	
Class	2.1
Subsidiary risk	---
Label(s)	2.1
Packing group	Not applicable

IATA

UN Number	UN1950
UN proper shipping name	Aerosols, flammable
Transport Hazard Class(es)	
Class	2.1
Subsidiary risk	---
Label(s)	2.1
Packing group	Not applicable
Environmental hazards	No
Other information	
Passenger and cargo aircraft	Allowed
Cargo aircraft only	Allowed

IMDG

UN Number	UN1950
UN proper shipping name	Aerosols, flammable
Transport Hazard Class(es)	
Class	2.1
Subsidiary risk	---
Label(s)	2.1
Packing group	Not applicable
Environmental hazards	No



SDS

Safety Data Sheet

Simoniz Furniture Polish S3339012

MSDS Number: 1264285-AP4285

Revision Date: 3/31/2015

Page 7 of 7

15

REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Siloxanes and Silicones, di-Me (63148629 1-5%) TSCA

*Distillates, petroleum, hydrotreated light (64742478 4-8%) TSCA

*VM&P Naphtha (64742898 12-16%) TSCA

*Propane/ Isobutane (68476868 8-12%) TSCA

REGULATORY KEY DESCRIPTIONS

TSCA = Toxic Substances Control Act

Proposition 65 - California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to the proposition.

16

OTHER INFORMATION

The information provided herein was believed to be accurate at the time of preparation and prepared from a compilation of sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of this product, and to determine the suitability of the product for its intended use.

Publication Date: 3/31/15

Revision No.: 1